

MATERIAL SAFETY DATA SHEET



P720X

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: P720X

DESCRIPTION: Polyester film

MANUFACTURER: Richmond Aircraft Products
12801 Ann Street
Santa Fe Springs, CA 90670

FOR MORE INFORMATION CALL: 562-906-3300
IN CASE OF EMERGENCY CALL: 562-906-3300

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
Polyethylene Terephthalate	25038-59-9	Proprietary Information

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: N/A

Target Organs: N/A

Inhalation: Not a route of exposure under normal usage. Elevated processing temperatures may release irritating vapors.

Skin Contact: Not considered hazardous. Heavy gauges of polyester film can contain sharp edges. Silicone coated grades of polyester film can provide slip hazards.

Eye Contact: Not considered hazardous. May cause mechanical irritation if film comes into contact with the eye.

Ingestion: Not a route of exposure. Not considered hazardous.

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: None needed under normal usage. If exposed to vapors at elevated processing temperatures, remove to fresh air.

Skin Contact: None needed

Eye Contact: None needed under normal usage. If material comes into contact with the eye, flush eyes with water while holding eyelids apart to ensure complete irrigation.

Ingestion: None needed.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Extinguishing Method: Carbon dioxide, dry chemical, foam, water or other agents as appropriate for materials in surrounding fire.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards: Film at higher temperatures can ignite and will burn. NFPA 1 (Slight Flammability Rating). Avoid potentially explosive atmospheres due to electrostatic discharge from Polyethylene Terephthalate films.

6. ACCIDENTAL RELEASE MEASURES

Always wear recommended personal protective equipment. Collect and place in a solid waste container.

7. HANDLING AND STORAGE

Handling Precautions: Unwinding, winding and passage of film on rollers tend to generate strong electrostatic discharge on web. Position static discharge devices. Keep walk areas clear of film to avoid slip hazards. Gloves recommended for heavy gauge polyester films.

Storage Requirements: Store in a cool, dry area, away from direct heat or sunlight. Avoid potentially explosive atmospheres due to electrostatic discharge.

MATERIAL SAFETY DATA SHEET



8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: General room ventilation plus local exhaust at points of fume generation to maintain exposure below the PEL/TLV exposure limits.

Protective Equipment: Use heat resistant gloves if handling melted material. As a general practice in manufacturing areas, safety glasses that conform to ANSI Z87.1 should be worn. A NIOSH/MSHA approved respirator should be worn in areas where the PEL/TLV is exceeded.

Exposure Guideline/Other:

<u>INGREDIENT NAME</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER LIMIT</u>
Acetaldehyde (CAS 75-07-0)	Ceiling = 25 ppm	TWA = 200 ppm	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Matte film

Physical Status: Solid

Odor: No odor

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Boiling Point: N/A

Freezing/Melting Point: >491F-500F (255C-260C)

Decomposition: 572F (300C)

Solubility: Negligible

Spec. Grav./Density: 1.4

MATERIAL SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

Stability:	Chemically Stable
Conditions to avoid:	Avoid exposure to open flame or temperatures exceeding recommended processing temperatures. RAP should be contacted if questions arise concerning specific processing conditions.
Materials to avoid (Incompatibility):	Strong oxidizers.
Hazardous Decomposition Products:	Thermal decomposition products may include Acetaldehyde and Carbon Monoxide.
Hazardous Polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects:	Not determined
Delayed (Sub-chronic and chronic) Effects:	None known
Other Data:	None

12. ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

MATERIAL SAFETY DATA SHEET



14. TRANSPORT INFORMATION

US DOT Hazard Class: Not regulated
US DOT ID Number: Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA)

TSCA Inventory Status: All components are listed on the TSCA Inventory.

Other TSCA Issues: None.

SARA Title III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

Ingredient Name

No ingredients listed in this section.

SARA/CERCLA RO (lb) SARA EHS TPO (lb)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (1-800-424-8802) and to your Local Emergency Planning Committee.

The following ingredients are SARA 313 "Toxic Chemicals". CAS numbers and weight percents are found in Section 2.

Ingredient Name

Acetaldehyde (CAS# 75-07-0)

Comment

Under normal use conditions, release would be well below OSHA limits.

MATERIAL SAFETY DATA SHEET



Additional Regulatory Information:

This product is not intended to be used in any application which places the product in direct contact with the human body, or in other FDA governed applications, unless specifically designated otherwise in written material supplied by RAP to the purchaser.

WHMIS Classification (Canada):

Not a controlled substance. (Considered to be a manufactured article.)

Foreign Inventory Status:

All base monomers and other components are listed on the EINECS Inventory.

16. OTHER INFORMATION

Current Issue Date: 10/05/2010
Previous Issue Date: 05/14/2010