

# MATERIAL SAFETY DATA SHEET



## RC3500HT

---

### 1. PRODUCT AND COMPANY NAME

---

**PRODUCT NAME:** RC3500HT

**DESCRIPTION:** Non-Woven Fiberglass, High Temperature Felt Breather

**MANUFACTURER:** Richmond Aircraft Products  
12801 Ann Street  
Santa Fe Springs, CA 90670

**FOR MORE INFORMATION CALL:** 562-906-3300  
**IN CASE OF EMERGENCY CALL:** 562-906-3300

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

---

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
Fibrous Glass (Textile Grade)	65997-17-3	0-75%

# MATERIAL SAFETY DATA SHEET



---

## 3. HAZARD IDENTIFICATION

---

### POTENTIAL HEALTH HAZARDS

<b>Route of Entry:</b>	Inhalation, Skin Contact
<b>Target Organs:</b>	N/A
<b>Inhalation:</b>	Breathing of fibers or dust may cause mechanical irritation of the mouth, nose, and throat. Textile sizing normally burns off of the surface of the glass fiber the first time the product is heated to about 400F. If this occurs with inadequate ventilation some smoke may accumulate causing temporary irritation of the eyes, nose and throat.
<b>Skin Contact:</b>	Not considered hazardous
<b>Eye Contact:</b>	Not considered hazardous. It may cause mechanical irritation if film comes into contact with the eye.
<b>Ingestion:</b>	Not a route of exposure. Not considered hazardous.

Not classified as regulated under ACGIH IARC, NTP or OSHA.. Industry studies have shown textile grade fibrous glass to be a non-carcinogen.

---

## 4. FIRST AID MEASURES

---

<b>Inhalation:</b>	Remove victim to fresh air.
<b>Skin Contact:</b>	Flush with ample cool water followed by washing with mild soap to remove accumulated fibers.
<b>Eye Contact:</b>	Flush with flowing water for 15 minutes and seek medical attention.
<b>Ingestion:</b>	Not likely to occur through normal use, should Ingestion occur seek medical attention.

# MATERIAL SAFETY DATA SHEET



---

## 5. FIRE FIGHTING MEASURES

---

### **FLAMMABLE PROPERTIES**

<b>Flash Point (Method Used):</b>	N/A
<b>LEL:</b>	N/A
<b>UEL:</b>	N/A
<b>Extinguishing Method:</b>	Water, dry powder, or foam (needed for packaging only)
<b>Special Fire Fighting Procedures:</b>	In any sustained fire wear self-contained breathing apparatus.
<b>Unusual Fire and Explosion Hazards:</b>	In a sustained fire combustible decomposition products may be released. These products include carbon dioxide, carbon monoxide, and low molecular weight hydrocarbons

---

## 6. ACCIDENTAL RELEASE MEASURES

---

(Always wear recommended personal protective equipment.) Collect and place in a solid waste container.

---

## 7. HANDLING AND STORAGE

---

**Handling Precautions:** Use normal personal hygiene and good house keeping.

**Storage Requirements:** Store in a cool dry place.

# MATERIAL SAFETY DATA SHEET



---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

---

**Engineering Controls:** Normal area ventilation is sufficient in most cases to keep dust and fiber levels below the TLV or PEL and to avoid smoke accumulation during the initial heating of the textile size.

**Protective Equipment:** If airborne fibrous glass exceeds the regulatory limits, or if upper respiratory irritation occurs, use a respirator designed for nuisance type dust. Barrier creams, gloves, and long sleeve loose fitting clothing may be required for certain workers who have sensitive skin or contact dermatitis. Work clothing should be laundered separately from other clothing before reuse. Not normally required, but as a good safety work practice suggest the wearing of appropriate eye protection such as safety glasses/side shields or equivalent whenever use of the product releases airborne fibrous glass.

**Exposure Guideline/Other:**

Fibrous Glass Dust

TLV (ACGIH): 5 mg/m<sup>3</sup> (Inhalable)  
PEL (OSHA): 5 mg/m<sup>3</sup> (Respirable)

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

**Appearance:** Gray black solid

**Physical Status:** Solid

**Odor:** None

**pH:** N/A

**Vapor Pressure:** N/A

**Vapor Density:** N/A

**Boiling Point:** N/A

**Freezing/Melting Point:** N/A

**Solubility:** Negligible

**Spec. Grav./Density:** 1.5 – 2.5

# MATERIAL SAFETY DATA SHEET



---

## 10. STABILITY AND REACTIVITY

---

<b>Stability:</b>	Stable up to 300 EN
<b>Conditions to avoid:</b>	None known
<b>Materials to avoid (Incompatibility):</b>	N/A
<b>Hazardous Decomposition Products:</b>	Above 300C C, CO <sub>2</sub> and NO <sub>2</sub> may form Small Quantities of NH <sub>3</sub> CH <sub>4</sub> , and HCN may form under oxygen deficient conditions.
<b>Hazardous Polymerization:</b>	Will not occur

---

## 11. TOXICOLOGICAL INFORMATION

---

<b>Immediate (Acute) Effects:</b>	Not determined
<b>Delayed (Sub-chronic and chronic) Effects:</b>	None known
<b>Other Data:</b>	None

---

## 12. ECOLOGICAL INFORMATION

---

Material is considered inert and not expected to be biodegradable or toxic.

---

## 13. DISPOSAL CONSIDERATIONS

---

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

---

## 14. TRANSPORT INFORMATION

---

<b>US DOT Hazard Class:</b>	Not regulated
<b>US DOT ID Number:</b>	Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

# MATERIAL SAFETY DATA SHEET



---

## 15. REGULATORY INFORMATION

---

<b>EPA, RCRA 40 CFR, Part 261, 1990:</b>	Non-hazardous
<b>CERC LA:</b>	Not Listed
<b>CA Proposition 65:</b>	Insignificant trace quantity
<b>SARA Title III:</b>	Exempt by definition
<b>MA Right-To-Know:</b>	Less than reportable quantity
<b>PA Right-To-Know:</b>	Less than reportable quantity
<b>NJ Right-To-Know:</b>	Less than reportable quantity
<b>TSCA Inventory:</b>	Exempt per section 8(a). 710.2(t) and 704.5(a)

---

## 16. OTHER INFORMATION

---

**Current Issue Date:** 10/05/2010  
**Previous Issue Date:** 06/18/2009