

MATERIAL SAFETY DATA SHEET



RS 220

1. PRODUCT AND COMPANY NAME

PRODUCT NAME: RS 220

DESCRIPTION: Vacuum Bag Sealant Tape

MANUFACTURER: Richmond Aircraft Products
12801 Ann Street
Santa Fe Springs, CA 90670

FOR MORE INFORMATION CALL: 562-906-3300
IN CASE OF EMERGENCY CALL: 562-906-3300

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient Name</u>	<u>CAS #</u>	<u>% of Ingredient</u>
No Hazardous Components		

3. HAZARD IDENTIFICATION

POTENTIAL HEALTH HAZARDS

Route of Entry: Skin Contact

Target Organs: N/A

Inhalation: Not a route of exposure under normal usage. Elevated processing temperatures may release irritating vapors.

Skin Contact: Not considered hazardous

Eye Contact: Not considered hazardous. It may cause mechanical irritation if film comes into contact with the eye.

Ingestion: Not a route of exposure. Not considered hazardous.

MATERIAL SAFETY DATA SHEET



4. FIRST AID MEASURES

Inhalation: Remove victim to fresh air. Seek medical attention.
Skin Contact: Wash contaminated area with soap and water for 15 minutes. If irritation persists, contact a physician.
Eye Contact: Flush with warm water for 15 minutes. If irritation persists, contact a physician.
Ingestion: DO NOT INDUCE VOMITTING, contact a physician.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Flash Point (Method Used): N/A
LEL: N/A
UEL: N/A
Extinguishing Method: Dry chemical, carbon dioxide, foam and water
Special Fire Fighting Procedures: None known
Unusual Fire and Explosion Hazards: None known

6. ACCIDENTAL RELEASE MEASURES

Always wear recommended personal protective equipment. Collect and place in a solid waste container.

7. HANDLING AND STORAGE

Handling Precautions: Use normal personal hygiene and good house keeping.
Storage Requirements: Rotate stock. Store at or below 80°F. Do not store cartons on ends.

MATERIAL SAFETY DATA SHEET



8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: General room ventilation, local exhaust if needed
Protective Equipment: Chemical resistant, impervious gloves and Safety glasses
Exposure Guideline/Other: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gray pliable rubbery sealant
Physical Status: Solid
Odor: Odor
pH: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Boiling Point: N/A
Freezing/Melting Point: 204C (400F)
Solubility: Insoluble
Spec. Grav./Density: 1.431

10. STABILITY AND REACTIVITY

Stability: Stable
Conditions to avoid: None known
Materials to avoid (Incompatibility): Strong oxidizing agents
Hazardous Decomposition Products: Thermal decomposition may form carbon dioxide, carbon monoxide, hydrogen chloride and various hydrocarbon fumes.
Hazardous Polymerization: Will not occur

MATERIAL SAFETY DATA SHEET



11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects:	Not determined
Delayed (Sub-chronic and chronic) Effects:	None known
Other Data:	None

12. ECOLOGICAL INFORMATION

Material is considered inert and not expected to be biodegradable or toxic.

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with Federal, state and local government regulations. Usually is considered an inert packaging material that can be recycled or landfilled.

14. TRANSPORT INFORMATION

US DOT Hazard Class:	Not regulated
US DOT ID Number:	Not applicable

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

Current Issue Date:	10/05/2010
Previous Issue Date:	04/09/2008